



SP 1020 LI-D



SP 2025 LI-D

Product Features

- oil free
- maintenance free
- high pressure
- long life
- starts at max. pressure
- available with inlet port or as vacuum pump

Applications

- Pneumatics
- Vaporization
- Cooling
- Medical Applications
- Industrial Applications




Schwarzer
Precision

Steeler Strasse 477 • 45276 Essen • Germany
Phone: +49 201 31697-0 • Fax: +49 201 31697-29
e-mail: info@schwarzer.com • <http://www.schwarzer.com>

**SP 10xx LI / 20xx LI**

These pumps are our standard models. For special requirements we are offering customised versions. Please contact us!


Designation	SP V 1020 LI-D	SP V 2025 LI-D	SP V 2030 LI-D	SP V 2050 LI-D
Operating Voltage Art.No.	230 V (50 Hz) 7r70036	7r71031	230 V (50 Hz) 7r71051	7r71060
Pneumatic Performance				
Free Flow [l/min]	20	30	20	50
flow at:				
200 mbar [l/min]	14	24	17	28
max. Pressure [bar]	0,6	0,9	1,4	0,4
flow at:				
-200 mbar [l/min]	-	-	-	-
max. Vacuum [bar]	-	-	-	-
Motor / Power Consumption				
Motor Type	Electromagnetic			
Power Consumption [W]	30	40	40	45
Construction				
Pump Head	PS			
Diaphragm	EPDM			
Valves	High Grade Steel (D-Types), AU or EPDM (VD-Types)			
Weight [g]	1580	2200	2200	2200

Performance Curves




SP 10xx LI / 20xx LI

SP V 10xx LI-D *



SP V 20xx LI-D *



* Also available with inlet port or as vacuum pump



Schwarzer
Precision

Steeler Strasse 477 • 45276 Essen • Germany
Phone: +49 201 31697-0 • Fax: +49 201 31697-29
e-mail: info@schwarzer.com • <http://www.schwarzer.com>